
Coude Geberit Mapress Acier Inox avec tube à insérer (sans silicone)





CARACTÉRISTIQUES

• Non serti non étanche

• Joint d'étanchéité en CIIR noir

• Indicateur de sertissage

Matériau

CARACTÉRISTIQUES TECHNIQUES

Acier CrNiMo 1.4401 (EN 10088)

N° de l'éf.		• 4	, v			
80702		9 E 1 5	& . 45	2.8	₹ & 3.6	⋄ € 0.8
80703		18	45	2.9	3.6	0.9
80704		22	45	3.2	4	1.1
80705		28	45	3.7	4.4	1.4
82706	32	35	45	4.3	5	1.7
82707	40	42	45	5.1	5.9	2.1
82708	50	54	45	6.2	7	2.7



رَوْنِ						
Nº de réf	No	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	, of contract of the contract	7 6	7 &	∿ €
82709	65	76.1	45	10.1	11.1	4.8
82710	80	88.9	45	11.7	12.8	5.7
82711	100	108	45	14.3	15.8	6.8
80302	12	15	90	3.8	4.8	1.8
80303	15	18	90	4.2	5.2	2.2
80304	20	22	90	4.7	5.8	2.6
80305	25	28	90	5.7	6.3	3.4
83306	32	35	90	6.8	7.4	4.2
83307	40	42	90	8	8.8	5
83308	50	54	90	10	10.8	6.5
83309	65	76.1	90	15.7	16.7	10.4
83310	80	88.9	90	18.4	19.5	12.4
83311	100	108	90	22.6	24.1	15.1